

TULNOY LUMBER

WELCOME

WE ARE PLEASED TO PRESENT OUR CURRENT PRODUCT GUIDE AND MOULDING PROFILE REFERENCE BOOK. THIS MANUAL PROVIDES THE MOST COMPLETE AND DETAILED COLLECTION OF MOULDING PROFILES AND RELATED PRODUCTS FOR THE SCENIC AND DISPLAY PROFESSIONAL.

TULNOY LUMBER HAS BEEN SERVING THE INDUSTRY FOR OVER 70 YEARS. WE OWN AND OPERATE DISTRIBUTION WAREHOUSES IN THE TRI-STATE AREA - INCLUDING OUR LARGEST FACILITY IN NEW YORK CITY. WE EMPLOY 100 TRAINED PROFESSIONALS.

WE TAKE PRIDE IN OUR ABILITY TO IMMEDIATELY SUPPLY A HUGE ARRAY OF SPECIALTY PRODUCTS TO YOUR JOB. WE CAN AND WILL SUPPLY JUST ABOUT ANYTHING YOU MIGHT NEED.

THANK YOU FOR ALLOWING TULNOY TO SERVE YOU. WE LOOK FORWARD TO YOUR CALL.



HERB TULCHIN

PRESIDENT



<http://tulnoylumber.com>

TULNOY LUMBER

ABOUT MOULDINGS

THE COLLECTION OF MOULDING PROFILES WITHIN THESE PAGES IS ONE OF THE MOST EXTENSIVE THAT YOU WILL FIND ANYWHERE. YOU WILL NOTICE THAT THE COLLECTION HAS BEEN CAREFULLY ORGANIZED TO MAKE USING THIS BOOK AS SIMPLE AND INTUITIVE AS POSSIBLE. THE PATTERN NUMBERS RUN SEQUENTIALLY AND THE CATEGORY NAMES RUN ALPHABETICALLY. WITHIN SECONDS AND WITHOUT A FRUSTRATING SEARCH YOU CAN ZERO IN ON THE ITEM(S) YOU ARE INTERESTED IN.

KEEP IN MIND THAT WE ARE ABLE TO PROCESS YOUR MOULDING ORDER USING ANY NUMBERING SYSTEM THAT YOU REQUIRE. THE COMPUTER CAN TRANSLATE BETWEEN ALL OF THE MOST POPULAR NUMBERING SYSTEMS. YOUR PAPERWORK WILL REFLECT THE NUMBERING SYSTEM THAT YOU SELECT.

REMEMBER, IF YOU REQUIRE A CUSTOM PATTERN WE CAN PRODUCE IT WITHIN 2 WEEKS IN ANY WOOD OR COMBINATION OF WOODS THAT YOU SPECIFY.

NEW YORK & CONNECTICUT

1620 WEBSTER AVENUE
BRONX, NEW YORK 10457

TEL 212.740.9550 TEL 718.583.3434
FAX 212.740.9553 FAX 718.299.8920

NEW JERSEY & PENNSYLVANIA

BUILDING T11
RASKULINECZ ROAD
CARTERET, NJ 07008

TEL 732.634.4000
FAX 732.634.0358

NATIONAL SALES OFFICE

PLEASE CALL
TEL 718.901.1700

TABLE OF CONTENTS

PRODUCT NAME:	PAGE:	PRODUCT NAME:	PAGE:
ACCESS DOORS.....	71	DOOR ACCESSORIES.....	89
ACOUST. CEILING SYSTEMS.....	72	DOOR & WALL PRT. SYST.....	92
ASTRAGALS.....	6	DOORS & SIDELITES.....	64
BACKBANDS.....	7	DOORS - ACCORDIAN.....	67
BAGGED GOODS.....	87	DOORS - FIRE RATED.....	66
BALLUSTERS.....	62	DOORS - INTERIOR.....	65
BAR RAILS.....	8-9	DOORS - INTERIOR MIRROR.....	67
BASE CAP MOULDINGS.....	10, 12	DOORS - POCKET FRAMES.....	67
BASE MOULDINGS.....	11-13, 42	DOORS STOPS.....	33
BASES - RABBETED.....	14	DOWELS.....	54
BEADS.....	34	DRIP CAPS.....	33
BEAMS.....	86	DRYWALL.....	69
BENDING PANELS.....	83	DRYWALL ACCESSORIES.....	69
BLACKBOARD FRAME.....	14	DRYWALL SCREWS.....	71
BOARDS.....	15	ENGINEERED WOOD PROD.....	79
BOLECTION MOULDING.....	41	FINISHING PRODUCTS.....	70
BRACKETS.....	91, 94	FIRE RET. LUMBER & PLYWOOD	78
BOX PILASTERS.....	16	FLEXIBLE MOULDINGS.....	60
BRICK MOULDINGS.....	16	FLOORING.....	88
CAP MOULDINGS.....	16	FLOOR MOULDINGS.....	34
CASINGS.....	17-20, 43, 51-52	FOCAL POINT.....	94-95
CEILING ACCESSORIES.....	74	FORMICA.....	77
CEILING SYSTEMS.....	72	GLASS MOULDINGS.....	34
CHAIR RAILS.....	21-22, 31, 43	HALF ROUNDS.....	35-36
CHALK TROUGH.....	23	HAND RAILS.....	37
CLOSET POLE.....	55	HAND TOOLS.....	90
COLUMNS.....	63	HARDWARE.....	90
CORBELS.....	96	HARDWOOD PLYWOOD.....	83
CORNER BLOCKS.....	96	HOMASOTE.....	76
CORNER GUARDS.....	45	INSULATION PRODUCTS.....	75
CORNICES. 24-32, 42, 50-53,	95	INSIDE CORNERS.....	23
COVES.....	23	INTERIOR PANELING.....	91
CROWNS... 24-32, 42, 50-53,	95	LAMINATES.....	77
CUT-TO-SIZE.....	86	LATTICE PANELS.....	68
DECKING.....	82	LATTICE STRIPS & SQRS....	38-40
DEC. WOOD TRIM.....	96-98	LEXAN.....	77
DENTILS - CHAIR RAIL.....	31	LIGHTING PANELS.....	74
DENTILS - CROWN.....	31-32	LUMBER.....	85
DENTILS - SPECIAL.....	33	MANTLE MOULDINGS.....	41
DENTILS - STRIP.....	32	MASONRY GOODS.....	87
DISAPPEARING STAIRS.....	68	MEDALLIONS.....	60, 94

TABLE OF CONTENTS (CONT')

PRODUCT NAME:	PAGE:	PRODUCT NAME:	PAGE:
METAL COV'D MOULDINGS.....	60	SCAFFOLD PLANKS.....	82
METAL TRACK & STUDS.....	70	SCALLOP MOULDINGS.....	56
MOULDED MILLWORK.....	94-95	SCREEN MOULDING.....	57
MULLIONS.....	6	SHELF CLEATS.....	57
NAILS.....	73	SHELF EDGES.....	57
NEWELS.....	62	SHELVING.....	91
NOSE & COVE.....	44	SHOE MOULDINGS.....	34
NOSINGS.....	44	SHUTTERS.....	68
OAK.....	15	SIDELITES.....	64
OAK MOULDING...ALL PATTERNS		SILLS.....	57
O.G. MOULDINGS.....	44	SKEWBACK.....	57
ORNAMENTALS.....	42-43, 96-98	SKYLIGHTS.....	68
OUTSIDE CORNERS.....	45	SONOTUBES.....	63
COLONIAL.....	45	SPECIALTY DECKING.....	82
SANITARY.....	45	SPLAY BASE.....	57
PANEL MOULDINGS.....	46	SPINDLES.....	62
PANELS.....	80-81, 83-84	STAIR ANATOMY.....	61
PARTING STRIP.....	38-39	STAIR BRACKETS.....	94
PIC. FRAME MOULDINGS...	47-48	STAIR PARTS.....	61-62
PICTURE MOULDINGS.....	48	STAIRS - DISAPPEARING.....	68
PILASTERS.....	16, 49	STANDARDS.....	91
PINE BOARDS.....	15	STRUCTURAL PLYWOOD.....	84
PLANKS.....	82	STRUCTURAL SHEATHING.....	84
PLANKING.....	91	SUNDRIES.....	90
PLASTICS.....	77	STOOLS - WINDOW.....	57
PLEXIGLAS.....	77	STOPS.....	33
PLINTH BLOCKS.....	97	TAPESTRY STRIP.....	58
PLYWOOD.....	80-81, 83-84	THRESHOLDS.....	56, 58
POLES.....	55	TILE BOARD.....	91
POLYETHYLENE SHEETING.....	75	TIMBERS.....	86
POPLAR.....	15	TOOLS.....	90
PRES.TR. LUMB. & PLYWOOD...	78	TREATED LUMB. & PLYW.....	78
PREFINISHED MOULDINGS.....	91	TREX.....	82
PRESSED MOULDINGS.....	50-53	VACUUM-FORMED PLASTICS...	93
QUARTER ROUNDS.....	53	VALANCE MOULDINGS.....	58
QUICK LIST.....	99-100	WAINSCOTING.....	59
RIGID INSULATION.....	76	WINDOW BLOCKS.....	96
ROOF WINDOWS.....	68	WINDOW STOPS.....	59
ROPE MOULDINGS.....	54	WONDER BOARD.....	69
ROSETTES.....	96	WOOD BALLS.....	54
ROUNDS.....	55	WOOD ORNAMENTS.....	94-98
SADDLES.....	56		

TULNOY LUMBER

PATTERN INDEX


PATTERN NUMBERS ARE LISTED BELOW IN NUMERICAL ORDER WITH CORRESPONDING CATALOG PAGE. MOULDINGS ARE STOCKED IN POPLAR OR PINE UNLESS OTHERWISE NOTED. ALL OF THE PATTERNS LISTED BELOW CAN BE MADE TO ORDER IN ANY WOOD OR WITH FLEXIBLE MATERIALS.

PATT	Pg	PATT	Pg	PATT	Pg
2	6	150	17	274	27
4	6	152	17	276	27
6	6	154	18	278	27
8	6	156	18	280	28
10	6	158	18	282	28
12	6	160	18	284	28
14	6	162	18	286	29
16	6	166	19	288	29
18	6	168	19	290	30
20	7	170	19	292	30
22	7	172	19	300	31
24	7	174	20	302	31
26	7	176	20	304	32
30	8	178	20	306	32
32	8	180	21	308	32
34	9	182	21	310	32
36	9	184	21	320	33
40	10	186	21	322	33
42	10	188	21	324	33
44	10	190	22	326	33
46	10	192	22	328	33
48	10	194	22	330	33
50	10	196	22	332	33
52	10	200	23	334	33
54	10	210	23	336	33
60	11	212	23	338	33
62	11	214	23	340	33
64	11	216	23	350	34
66	11	218	23	352	34
68	11	220	23	356	34
70	12	222	23	358	34
72	12	224	23	360	34
74	12	230	24	362	34
76	12	232	24	364	34
78	12	234	24	366	34
80	13	236	24	368	34
82	13	238	24	370	34
84	13	240	24	372	34
90	14	242	24	376	34
92	14	244	24	378	34
100	14	246	24	380	34
102	14	248	24	382	34
110	16	250	24	384	34
112	16	252	25	386	34
114	16	254	25	390	35
120	16	256	25	392	35
130	16	258	25	394	35
132	16	260	25	396	35
134	16	262	25	398	35
140	17	264	25	400	35
142	17	266	26	402	35
144	17	268	26	404	35
146	17	270	26	406	35
148	17	272	26	408	35

PATTERN INDEX CONT'






PATT	Pg	PATT	Pg	PATT	Pg
410	36	588	46	792	53
412	36	590	46	794	53
414	36	592	46	796	53
416	36	594	46	798	53
418	36	596	46	800	53
420	37	598	46	802	53
422	37	600	46	804	53
424	37	602	46	806	53
430	38	604	46	809	42
432	38	606	46	810	54
434	38	608	46	812	54
436	38	685	42	814	54
438	38	686	42	816	54
440	38	687	42	818	54
442	38	688	42	820	54
444	38	689	42	830	55
446	38	690	42	832	55
448	38	692	42	834	55
450	38	693	42	835	43
452	38	694	42	836	55
454	38	700	47	838	55
456	38	702	47	840	55
458	38	704	47	842	55
460	38	706	47	844	55
462	39	708	47	846	55
464	39	709	42	848	55
466	39	710	47	850	56
468	39	712	47	852	56
470	39	714	48	854	56
472	39	716	48	860	56
474	39	720	48	862	56
476	39	722	48	870	57
478	39	724	48	880	57
480	39	726	48	882	57
482	39	730	49	890	57
484	40	732	49	900	57
486	40	734	49	910	57
490	41	736	49	920	57
492	41	738	49	922	57
500	42	740	49	930	58
530	44	742	49	940	58
532	44	744	49	950	58
534	44	750	50	952	58
536	44	752	50	960	59
540	44	754	50	970	59
550	44	756	50	972	59
552	44	758	50	974	59
554	44	760	50	978	59
560	45	762	50	980	59
562	45	764	51	11150.....	95
564	45	766	51	11170.....	95
566	45	768	51	11280.....	95
570	45	770	51	11330.....	95
572	45	772	51	19260.....	95
574	45	774	52		
576	45	776	52		
580	46	778	53		
582	46	784	42		
584	46	785	43		
586	46	790	53		

ASTRAGALS



 $\frac{1}{4} \times \frac{5}{8}$

 $\frac{3}{8} \times \frac{7}{8}$

 $\frac{7}{16} \times 1\frac{1}{8}$

 $\frac{11}{16} \times 1\frac{3}{8}$

 $\frac{3}{8} \times 1\frac{3}{8}$

 $\frac{3}{8} \times 1\frac{3}{8}$

 $\frac{11}{16} \times 1\frac{3}{4}$

 $\frac{1}{4} \times 2$

 $\frac{7}{16} \times 2\frac{1}{4}$

BACKBANDS



11/16 x 1-1/8



1 x 1-5/16




3/4 x 2-1/4




3/4 x 2-3/4


BAR RAILS




BAR RAILS




BASE CAP MOULDINGS




40

 $11/16 \times 7/8$ 


42

 $3/4 \times 7/8$ 

44

 $11/16 \times 1-1/8$ 


46

 $11/16 \times 1-3/8$ 


48

 $11/16 \times 1-3/8$ 

50

 $11/16 \times 1-5/8$ 

52

 $11/16 \times 1-5/8$ 

54

 $1-1/8 \times 2-1/4$

BASE MOULDINGS



60

 $1\frac{1}{16} \times 2\frac{1}{2}$


62

 $1\frac{1}{16} \times 3\frac{1}{2}$


64

 $1\frac{1}{16} \times 3\frac{1}{2}$



66

 $1\frac{1}{16} \times 3\frac{1}{2}$



68

 $1\frac{1}{16} \times 3\frac{5}{8}$


BASE MOULDINGS




70

 $1\frac{3}{8} \times 2\frac{3}{4}$ 

72

 $\frac{3}{4} \times 2\frac{1}{4}$ 

74

 $\frac{11}{16} \times 4\frac{1}{4}$ 


76

 $\frac{11}{16} \times 4\frac{5}{8}$ 



78

 $\frac{3}{4} \times 5\frac{1}{4}$



BASE MOULDINGS



BASES - RABBETED



BLACKBOARD FRAMES






BOARDS: PINE/ POPLAR/ OAK

NOMINAL WIDTH 2" 3" 4" 6" 8" 10" 12"


 $1/2" \times$ $3/4" \times$ $1-1/8" \times$ $1-3/8" \times$ $1-3/4" \times$

ACTUAL WIDTH 1-5/8" 2-1/2" 3-1/2" 5-1/2" 7-1/4" 9-1/4" 11-1/4"



BOX PILASTERS

**110** $\frac{3}{8} \times 1\frac{5}{8}$ **112** $\frac{3}{4} \times 1\frac{3}{4}$ **114** $1\frac{1}{16} \times 2\frac{5}{8}$




BRICK MOULDINGS

**120** $1\frac{5}{16} \times 2$

CAP MOULDINGS

**130** $\frac{7}{8} \times 1\frac{5}{8}$ **132** $\frac{3}{4} \times 1\frac{13}{64}$ **134** $1\frac{3}{16} \times 2\frac{1}{4}$

CASINGS

**140** $11/16 \times 1-5/8$ **142** $3/8 \times 1-3/8$ **144** $11/16 \times 2-1/2$ **146** $9/16 \times 2-1/4$ **148** $11/16 \times 2-1/2$ **150** $11/16 \times 2-1/2$ **152** $11/16 \times 3-1/2$

CASINGS



11/16 x 3-1/2



11/16 x 3-1/2



11/16 x 3-1/2




3/4 x 3-1/2



11/16 x 2-3/4

CASINGS



11/16 x 4-1/4



11/16 x 4-5/8



1/2 x 2-1/8



11/16 x 2-1/4

CASINGS



CHAIR RAILS



CHAIR RAILS




1 1/16 x 2-1/2



1 1/16 x 3-1/4




1 1/16 x 3-5/8




1-1/8 x 3-1/8


CHALK TROUGH




COVES




$\frac{3}{8} \times \frac{1}{2}$




$\frac{1}{2} \times \frac{1}{2}$




$\frac{5}{8} \times \frac{3}{4}$



$\frac{11}{16} \times \frac{7}{8}$



$1\frac{1}{8} \times 1\frac{3}{8}$



$1\frac{3}{8} \times 1\frac{3}{4}$






$\frac{11}{16} \times 1\frac{1}{8}$



$\frac{11}{16} \times \frac{11}{16}$


CROWNS


 $\frac{5}{8} \times \frac{7}{8}$

 $\frac{3}{4} \times \frac{7}{8}$

 $\frac{3}{4} \times \frac{3}{4}$

 $\frac{3}{4} \times 1\frac{1}{8}$

 $\frac{3}{4} \times 1\frac{3}{8}$

 $\frac{3}{4} \times 1\frac{3}{4}$







 $\frac{3}{4} \times 1\frac{3}{4}$

 $\frac{3}{4} \times 1\frac{3}{4}$

 $1\frac{1}{8} \times 1\frac{3}{4}$


 $1\frac{3}{8} \times 1\frac{3}{4}$

 $1\frac{1}{8} \times 2\frac{1}{4}$



CROWNS



CROWNS




CROWNS




TULNOY LUMBER

28


CROWNS




CROWNS




CROWNS




DENTILS - CHAIR RAIL



DENTILS - CROWN




DENTILS - CROWN



304

1-5/16 x 5-5/8


DENTILS - SPECIAL



306

5/8 x 1-1/2


DENTILS - STRIP




308 1/4" x 1-1/2" x 8'

310 1/2" x 1-1/2" x 8'


DOOR STOPS



3/8 x 7/8




3/8 x 1-1/8




3/8 x 1-3/8




3/8 x 1-5/8




3/8 x 2-1/4




1/2 x 1-5/8




3/8 x 1-3/8



5/8 x 1-3/8




7/16 x 1-3/8







7/16 x 1-3/8

DRIP CAP



1-1/8 x 1-5/8

FLOOR MOULDINGS


 $\frac{7}{16} \times \frac{1}{16}$

 $\frac{1}{2} \times \frac{3}{4}$

 $\frac{1}{2} \times \frac{3}{4}$

 $\frac{7}{16} \times \frac{3}{4}$

GLASS MOULDINGS




 $\frac{1}{4} \times \frac{3}{8}$


 $\frac{3}{8} \times \frac{1}{2}$

 $\frac{5}{16} \times \frac{7}{16}$


 $\frac{3}{8} \times \frac{5}{8}$

 $\frac{1}{4} \times \frac{1}{2}$

 $\frac{5}{8} \times \frac{3}{4}$

 $\frac{3}{8} \times \frac{1}{2}$

 $\frac{3}{8} \times \frac{3}{4}$



 $\frac{7}{16} \times \frac{3}{4}$

 $\frac{7}{16} \times \frac{5}{8}$

 $\frac{3}{8} \times \frac{3}{4}$

 $\frac{9}{16} \times \frac{3}{4}$

 $\frac{1}{2} \times \frac{5}{8}$

HALF ROUNDS

390



 $\frac{3}{16} \times \frac{3}{8}$
392

 $\frac{1}{4} \times \frac{1}{2}$
394

 $\frac{1}{4} \times \frac{5}{8}$
396

 $\frac{5}{16} \times \frac{3}{4}$
398


 $\frac{3}{8} \times \frac{7}{8}$
400

 $\frac{1}{2} \times 1\text{-}\frac{1}{8}$
402

 $1\frac{1}{16} \times 1\text{-}\frac{3}{8}$
404

 $1\frac{1}{16} \times 1\text{-}\frac{5}{8}$
406

 1×2
408

 $1\text{-}\frac{1}{4} \times 2\text{-}\frac{1}{2}$


HALF ROUNDS




$\frac{3}{8} \times 1\frac{1}{8}$




$\frac{3}{4} \times 1\frac{1}{2}$



$\frac{3}{4} \times 1\frac{3}{4}$




$1\frac{3}{8} \times 2\frac{3}{4}$



$1\frac{3}{4} \times 3\frac{1}{2}$

HAND RAILS



ADDITIONAL STAIR PARTS ON PAGE 62

LATTICE STRIPS & SQUARES

430

 $\frac{1}{4} \times \frac{1}{2}$

432

 $\frac{1}{4} \times \frac{3}{4}$

434

 $\frac{1}{4} \times 1\text{-}\frac{1}{8}$

436

 $\frac{1}{4} \times 1\text{-}\frac{3}{8}$

438

 $\frac{1}{4} \times 1\text{-}\frac{5}{8}$

440

 $\frac{1}{4} \times 2\text{-}\frac{5}{8}$

442

 $\frac{3}{8} \times \frac{7}{8}$

444

 $\frac{7}{16} \times 1\text{-}\frac{1}{8}$

446

 $\frac{7}{16} \times 1\text{-}\frac{3}{8}$

448

 $\frac{1}{2} \times \frac{1}{2}$

450

 $\frac{1}{2} \times \frac{3}{4}$

452

 $\frac{1}{2} \times 1\text{-}\frac{5}{8}$

454

 $\frac{1}{4} \times 5\text{-}\frac{1}{4}$

456

 $\frac{1}{4} \times 3\text{-}\frac{1}{2}$


458

 $\frac{1}{2} \times 2\text{-}\frac{1}{2}$

460

 $\frac{1}{2} \times 3\text{-}\frac{1}{2}$



LATTICE STRIPS & SQUARES



462
 $5/8 \times 7/8$

464
 $3/4 \times 3/4$

466
 $3/8 \times 1-3/8$

468
 $3/8 \times 1-3/4$

470
 $5/16 \times 2$

472
 $1-1/16 \times 1-1/16$

474
 $1-1/16 \times 1-5/8$

476
 $1-5/16 \times 1-5/16$

478
 $1-3/4 \times 2-1/2$

480
 $1-9/16 \times 1-9/16$

482
 $1-3/4 \times 3-1/2$

LATTICE STRIPS & SQUARES


484

2-5/8 x 2-5/8









486

3-5/8 x 3-5/8

MANTLE MOULDINGS



ORNAMENTAL BASES & CROWNS




ORNAMENTAL CASINGS & CHAIR RAILS




689

 $27/32''$
 $2-1/2''$

 A black silhouette showing the cross-section of profile 689, highlighting its decorative top edge and overall thickness.



690

 $27/32''$
 $2-1/2''$

 A black silhouette showing the cross-section of profile 690, highlighting its decorative top edge and overall thickness.



691

 $27/32''$
 $2-1/2''$

 A black silhouette showing the cross-section of profile 691, highlighting its decorative top edge and overall thickness.



692

 $27/32''$
 $3''$

 A black silhouette showing the cross-section of profile 692, highlighting its decorative top edge and overall thickness.



693

 $27/32''$
 $3''$

 A black silhouette showing the cross-section of profile 693, highlighting its decorative top edge and overall thickness.


785

 $1-1/32''$
 $3-1/2''$




 A black silhouette showing the cross-section of profile 785, highlighting its decorative top edge and overall thickness.


835


 $7/8''$
 $2-17/32''$

 A black silhouette showing the cross-section of profile 835, highlighting its decorative top edge and overall thickness.




NOSE & COVE




NOSING




O.G. MOULDINGS







OUTSIDE CORNERS - COLONIAL







OUTSIDE CORNERS - SANITARY





PANEL MOULDINGS






PICTURE FRAME MOULDINGS

**700** $9/16 \times 1/2$ **702** $5/8 \times 7/8$ **704** $11/16 \times 1-3/8$ **706** $3/4 \times 1-1/2$ **708** $7/8 \times 3$ **710** $13/16 \times 2$ **712** $1-1/4 \times 2$




PICTURE FRAME MOULDINGS










PICTURE MOULDINGS






PILASTERS





PRESSED MOULDINGS




PRESSED MOULDINGS












PRESSED MOULDINGS



PRESSED MOULDINGS



QUARTER ROUNDS



ROPE MOULDINGS

HALF

 $\frac{1}{4} \times \frac{1}{2}$
FULL

 $\frac{1}{2}$
HALF

 $\frac{5}{16} \times \frac{5}{8}$
FULL

 $\frac{5}{8}$
HALF

 $\frac{7}{16} \times \frac{7}{8}$
FULL

 $\frac{7}{8}$

DOWEL

36" AND 48"

 $\frac{1}{8}$ " - 1- $\frac{1}{4}$ " DIAMETER


WOOD BALLS


1" - 6" DIAMETER



ROUNDS

834 $7/8$ **830** $1/2$ **832** $3/4$ **836** $1-1/8$ **838** $1-5/16$ **842** $1-9/16$ **840** $1-3/8$ **844** $1-3/4$ **846** $2-1/4$ **848** $2-5/8$

SADDLES




SCALLOP MOULDINGS

1/8" THICK X (2", 3", 4", 6", 8" WIDE) X 8' LONG




SHELF CLEAT



SHELF EDGES




1/4 x 3/4




1/4 x 3/4

SKEWBACK




3/4 x 3/4

SPLAYED BASE





SCREEN MOULDING




1/4 x 5/8

STOOLS - WINDOW



TAPESTRY STRIPS


 $\frac{1}{4} \times 1\frac{3}{4}$

THRESHOLD


 $\frac{5}{8} \times 2\frac{1}{4}$

VALANCE MOULDINGS





950 $\frac{7}{8} \times 4\frac{1}{2}$

952 $\frac{7}{8} \times 5\frac{1}{2}$

WAINSCOTING



WINDOW STOPS




FLEXIBLE MOULDINGS



- TABLE BASES
- PEDESTALS
- LEGS
- GRILLS
- FIGURES
- MIRROR FRAMES
- HEADBOARDS
- CROWNS

- ARM INSERTS
- RAILS
- DOOR PANELS
- PILASTERS
- COLUMNS
- CAPITALS
- STATUARY
- SCONCES


METAL COVERED MOULDINGS




- BRIGHT CHROME
- SATIN CHROME
- BRIGHT LACQUERED BRASS
- SATIN LACQUERED BRASS
- BRIGHT LACQUERED COPPER
- BRIGHT LACQUERED BRONZE
- SATIN LACQUERED BRONZE
- BRIGHT BRASS FINISH ALUMINUM
- BRIGHT CHROME FINISH ALUMINUM

STAIR PARTS

NEWELS



OVER THE POST



POST TO POST

BALUSTERS



CHECK OUT OUR HANDRAILS ON PAGE 37

COLUMNS



• COLUMN SIZES

6" x 8"
8" x 8"
10" x 8"
8" x 10"
10" x 10"
12" x 10"
10" x 12"
12" x 12"



• CAP & BASE SIZES

6" DIAMETER
8" DIAMETER
10" DIAMETER
12" DIAMETER

WOOD

ALUMINUM

POLY

CALL FOR SPECIAL
SIZES AND
DECORATIVE CAPS

SONOTUBES

SONOTUBE® FIBRE FORMS




- 4" - 48" DIAMETER
- 12' & 14' LENGTH

- PAINTABLE
- FAUX COLUMNS

WE CAN PROVIDE ADDITIONAL SIZES -
PLEASE CALL FOR MORE INFORMATION.


NJ AND PA 732.634.4000

DOORS & SIDELITES




EXTERIOR DOORS PICTURED (STEEL AND WOOD) ARE ONLY A SAMPLE OF AVAILABLE STYLES. ALL ARE AVAILABLE PREHUNG. IF YOU DON'T SEE WHAT YOU ARE LOOKING FOR - CALL US.

RIGHT HAND VS. LEFT HAND



INTERIOR DOORS

HARDBOARD



INT1

INT2


INT3

INT4

INT5

INT6

PINE



INT7

INT8

INT9

INT10

LOUVER




INT11

INT12

ALL INTERIOR DOORS ARE AVAILABLE PRE-HUNG, BOXED BI-FOLD OR AS PRE-HUNG BI-PASS UNITS. WE CAN HELP YOU CHOOSE THE RIGHT DOOR FOR YOUR PROJECT! PLEASE CALL US FOR OPTIONS AND AVAILABILITY!

FIRE-RATED DOOR SYSTEMS


HOLLOW METAL, KALAMINE & WOOD DOORS



- FRAMES MACHINED FOR 1-3/4" DOORS, HINGES, STRIKEPLATE AND DOOR SILENCERS.
- STANDARD THROAT SIZES: 3-3/4, 4-7/8, 6-1/8
- SPECIAL SIZES AVAILABLE

TULNOY LUMBER DOES MORE THAN JUST SELL FIRE-RATED DOOR SYSTEMS... WE KNOW THAT FITTING AND ORDERING THE CORRECT DOORS CAN BE CHALLENGING. WE HAVE A KNOWLEDGEABLE STAFF WHO WILL WALK THROUGH YOUR JOB SITE AND PROVIDE A COMPLETE JOB SPECIFICATION REPORT - AT NO EXTRA COST! TULNOY LUMBER UNDERSTANDS THE IMPORTANCE OF THESE SYSTEMS AND IS HERE TO MAKE YOUR JOB EASIER!

STANDARD DOOR ELEVATIONS



1-3/4" FIRE RATED OAK AND BIRCH
READILY AVAILABLE.

INTERIOR MIRROR DOORS



CREATES THE ILLUSION OF SPACE
WITH THE EASY TO INSTALL PANELS.

FRAMES: OAK, BRASS,
CHROME, STEEL

FINISHES: BRASS, CHROME,
WHITE, GOLD

HARDWARE INCLUDED.
FROM 4' TO 12' WIDE.

ACCORDIAN DOORS



MANY SIZES AND
FINISHES AVAILABLE
INCLUDING VINYL AND
NATURAL HARDWOODS.

AVAILABLE UP TO
30 FEET WIDE
AND 12 FEET HIGH!

POCKET DOOR FRAMES

EASILY ASSEMBLED, STRUCTURALLY
SOUND POCKET DOOR FRAMES PROVIDE
A SPACE-SAVING OPPORTUNITY WHILE STILL
ASSURING PRIVACY.

POCKET DOORS DO NOT NEED "SWING", ROOM
WHICH USES VALUABLE FLOOR SPACE.

FOR 1-3/8 TO 1-3/4" DOORS

- UNIVERSAL SIZE:
 - 3-0 x 6-8
 - 3-0 x 7-0
 - 3-0 x 8-0
- OPTIONAL:
 - POCKET EDGE
 - DOOR PULL



SKYLIGHTS & ROOF WINDOWS



INSULA-DOME

VELUX**THERMO-VU** SKYLIGHTS

LATTICE PANELS



- CEDAR
- CCA
- POLY


- PRIVACY
- SEMI-PRIVACY

- DIAMOND
- SQUARE

DISAPPEARING STAIRS




SHUTTERS



- VINYL
- WOOD

CALL FOR AVAILABLE SIZES.

DRYWALL & DRYWALL ACCESSORIES



PRODUCTS

GYPHUM WALL BOARD	THICKNESS	WIDTH	LENGTH
FOR INTERIOR WALLS & CEILINGS.	1/4"	4'	8' - 12'
ACCOMMODATES A WIDE RANGE OF	3/8"	4'	8' - 12'
DECORATIVE TREATMENTS. LEVEL OF	1/2"	4'	8' - 12'
FIRE RESISTANCE AND SOUND ISOLATION	5/8"	4'	6' - 12'
DEPENDS ON PRODUCT THICKNESS & ASSEMBLY CONSTRUCTION.			

GYPHUM BOARD TYPE X	THICKNESS	WIDTH	LENGTH
NON-COMBUSTIBLE GYPHUM CORE. INTERIOR	1/2"	4'	8' - 12'
WALL, FLOOR & CEILING APPLICATIONS.	5/8"	4'	6' - 12'
CAN BE USED IN FIRE-RATED ASSEMBLIES.			
MEETS BASIC TYPE X REQUIREMENTS			



TILE BACKER BOARD (GREENBOARD)	THICKNESS	WIDTH	LENGTH
WATER RESISTANT GYPHUM CORE. USE AS	1/2"	4'	8' - 12'
A BACKING FOR CERAMIC, PLASTIC OR METAL	5/8"	4'	6' - 12'
TILE IN TUB, BATHROOM OR SHOWER AREAS.			

WONDER BOARD[®]

WONDER-BOARD IS IDEAL AND APPROVED FOR WET AREA USE IN TUBS AND SHOWERS, OVER DRY, WELL-BRACED WOOD STUDS, FURRING OR STEEL STUDS; ALSO, ON FLOORS OVER STRUCTURALLY SOUND SUBFLOORS WHERE STRONG BUT LIGHTWEIGHT CONSTRUCTION AND/OR WATER RESISTANCE IS DESIRED.

METAL STUDS AND TRACK

AVAILABLE GALVANIZED 14 - 25 GAUGE.




• METAL STUDS

SIZE	LENGTHS
1-5/8"	8' & LONGER
2-1/2"	8' & LONGER
3-5/8"	8' & LONGER
4"	8' & LONGER
6"	8' & LONGER

• METAL TRACK

SIZE	LENGTHS
1-5/8"	10'
2-1/2"	10'
3-5/8"	10'
4"	10'
6"	10'

FINISHING PRODUCTS



• CORNER BEAD

1-1/4 x 8'
1-1/4 x 10'

• J-BEAD & L-BEAD

1/2" x 10'
5/8" x 10'



- PAPER TAPE
- BEAD TAPE
- MESH TAPE



- REGULAR & PLUS III

DRYWALL SCREWS




3/4" - 4"

• **FINE THREAD** - THESE ARE ALSO CALLED THINFAST, REGULAR DRYWALL SCREWS, OR MULTI-PURPOSE SCREWS. THIS IS THE ORIGINAL AND PRIMARY FASTENER FOR ATTACHING DRYWALL TO METAL STUDS.




7/16"

• **PAN FRAMING** - SHARP POINTS ARE USED FOR ATTACHING STUDS TO STEEL TRACK. IMPORTED DRILL POINTS FOR RECOMMENDED FOR UP TO 16 GAUGE. THE USA BUILDER SCREW HAVE A SPECIAL "5-12"® DRILL POINT, AND ARE RECOMMENDED UP TO 12 GAUGE.




1 1/2"

• **LAMINATING** - THIS IS A HEAVY COARSE THREAD SCREW FOR FASTENING DRYWALL TO DRYWALL SOMETIME CALLED "ROCK-TO-ROCK" SCREWS.




3/4" - 4"

• **COARSE THREAD** - THIS IS THE PRIMARY FASTENER FOR ATTACHING DRYWALL TO WOOD STUDS. THEY CAN ALSO BE USED FOR 20-25 GAUGE METAL STUDS.



1" - 3"

• **HI-LO** - BULDEX BRAND AVAILABLE. THE COMBINATION OF HIGH AND LOW THREAD GIVES THIS ALL-PURPOSE SCREW TOP PERFORMANCE IN SPEED AND ENGAGEMENT. SUITABLE FOR WOOD AND PLASTIC.



3/4" - 3"

• **TRIM HEADS** - FINISHING SCREWS FOR THE FASTENING OF BASE OR TRIM THROUGH DRYWALL TO LIGHT GAUGE METAL STUDS.




1" - 3"

• **SELF DRILL** - THESE ARE FINE THREAD SCREWS WITH DRILL POINTS, FOR UP TO 12 GAUGE STUDS.

ALL SCREWS AVAILABLE IN PHILLIPS HEAD AND SQUARE DRIVE.

ACCESS DOORS



• FOR MASONRY AND DRYWALL OPENINGS.

• REGULAR AND FIRE-RATED.

6" x 6", 8" x 8",
10" x 10", 12" x 12",
16" x 16", 18" x 18",
AND 24" x 24",

• OTHER SIZES AVAILABLE.

CEILING SYSTEMS



- SOUND CONTROL
- MOISTURE CONTROL
- LIGHT CONTROL
- FLAME CONTROL
- DUST CONTROL

USG
ceilings

Armstrong

Clotex

SIMPLEX
METAL CEILING SYSTEM CATALOG

 **Chicago Metallic**


ESTIMATING GUIDE

ITEM	COMPUTATION (10,000 S/F SAMPLE)	SAMPLE TUBE # \$10 PER 1000 PCS.
Black Iron Flange Bolt Lock Washer	DIVIDE SQUARE FOOTAGE BY 3 MINUS SQUARE FOOTAGE OF 32 KNOB IN PLACE PER 1000	1500 PCS.
JOIST HANGERS 2 3/4" LUGS SPRINGS 2" CHAINING RODS PER WALL SPRING 3" TIE SPRING	CONCEALED SYSTEM 10% PER LINEAL FOOT HANGERS 10% OF THE SQUARE FOOTAGE DIVIDE 2 3/4" BY 4 AND MULTIPLY BY 1000 APPROXIMATELY 75% OF THE SQUARE FOOTAGE ONE PIECE PER LINEAL FOOT OF HANGING APPROXIMATELY 10% OF THE SQUARE FOOTAGE	1000 LUG 900 HWS 9500 HWS 10000 PCS. 2500 LUG 2500 HWS 1000 PCS.
Black TUNING 4" LUGS PER WALL SPRING DECK CLIPS	2x6 Lay-in system DIVIDE SQUARE FOOTAGE BY 4 DIVIDE SQUARE FOOTAGE BY 2 APPROXIMATELY 75% OF THE SQUARE FOOTAGE DIVIDE WALL TUNING BY 4	1500 LUG 9000 LUG 2500 LUG 675 HWS
2" HANGERS	2x6 Lay-in system DIVIDE SQUARE FOOTAGE BY 4 (ALL OTHER PIECES ARE THE SAME AS 2"x6")	2500 LUG

NAILS

WHAT DOES PENNY MEAN?


NAILS ARE USUALLY MEASURED IN UNITS CALLED PENNIES, DESIGNATED BY THE LETTER "D." NAILS MEASURED THIS WAY RANGE FROM 2-PENNY NAILS THAT ARE 1 INCH LONG, TO 60 PENNY NAILS THAT ARE 6 INCHES LONG. NAILS THAT ARE SHORTER OR LONGER THAN THOSE SIZES ARE MEASURED IN INCHES. THE SYSTEM OF MEASURING NAILS IN PENNIES PROBABLY BEGAN IN ENGLAND SEVERAL HUNDRED YEARS AGO RELATING TO THE PRICE OF 100 NAILS. FOR EXAMPLE, 100 4D NAILS WOULD HAVE COST 4 PENNIES.



APPROXIMATE NUMBER OF COMMON NAILS PER LB.

2D - 847	6D - 167	10D - 66	16D - 47
4D - 294	8D - 101	12D - 61	20D - 29


CEILING ACCESSORIES




LIGHTING PANELS



CRACKED ICE



EGG CRATE



PRISMATIC

INSULATION PRODUCTS

• **FACED BUILDING INSULATION**

APPLICATION: INTENDED AS A THERMAL AND ACOUSTICAL INSULATION FOR WALLS, CEILINGS AND FLOORS WHERE INTEGRAL VAPOR RETARDER IS NEEDED.

• **UNFACED BUILDING INSULATION**

APPLICATION: DESIGNED FOR USE AS A THERMAL AND ACOUSTICAL INSULATION FOR WALLS, CEILINGS AND FLOORS.

• R VALUE	• THICKNESS	• WIDTH
R-11	3-1/2"	16" & 24"
R-13	3-5/8"	16" & 24"
R-19	6"	16" & 24"
R-30	9"	16" & 24"
R-38	12"	16" & 24"

• **THERMAFIBER®**

APPLICATION: A SEMI-RIGID MINERAL FIBER MAT OF UNIFORM DIMENSION AND CONTROLLED DENSITY. THESE BLANKETS ARE FIRE RESISTANT AND WILL SUBSTANTIALLY IMPROVE STC SOUND RATINGS.

SIZE: 2" x 16" OR 24"
 3" x 16" OR 24"
 4" x 16" OR 24"

• **POLYETHYLENE FILM**

APPLICATION: USE IT UNDER CONCRETE SLABS, OVER STUDDING AND AS A HEAT-LOSS BARRIER. PROTECT OUTDOOR FURNITURE AND EQUIPMENT. CLOSE IN BREEZEWAYS AND PORCHES. USE IT FOR DROPCLOTHS AND WATERPROOF WRAPPING.

4 MIL - 10' x 25' - 8' x 100' - 10' x 100' - 12' x 100' - 16' x 100'
 20' x 100'
 6 MIL - 16' x 100' - 20' x 100'

AVAILABLE CLEAR OR BLACK. AVAILABLE REINFORCED.

RIGID INSULATION & FOAM PANELS

- **BEADBOARD (EPS)**

SIZES 1" - 4" (2' x 8' AND 4' x 8')

- **BUILDING BOARD**

- **BUOYANCY BILLETS/ SHAPING FOAM**

SIZES 4" AND THICKER

- **FOAMX®**

- **GATOR FOAM®**

- **HOMASOTE®**

- **RIGID BUILDING INSULATION**

STYROFOAM® (BLUE)

FORMULAR® (PINK)

1.5 DENSITY AND HIGHER

SIZES 1" - 4" (2' x 8' AND 4' x 8')



homasote
C O M P A N Y

TULNOY LUMBER ALSO CARRIES NOVA-CORK.

CALL US FOR MORE INFORMATION!

NYC-LI-WSCHTR-CT 212.470.9550 OR 718.583.3434

LAMINATES AND PLASTIC PRODUCTS



Pionite®

NEVAMAR
EXCLUSIVE LAMINATES

DECORTAMBOURS®

SURELL®
solid surfacing material

WILSONART®

• LEXAN® SHEET

LEXAN® POLYCARBONATE SHEET DELIVERS UNPARALLELED PROTECTION FOR PEOPLE AND PROPERTY - AND VIRTUALLY UNLIMITED DESIGN FREEDOM FOR ARCHITECTS. THESE ADVANCED GLAZING MATERIALS OFFER LIGHTWEIGHT, AND EXCELLENT WEATHERABILITY, PLUS ABRASION RESISTANCE AND CLARITY RIVALING GLASS. THEIR SUPERIOR THERMAL INSULATION RESULTS IN IMPROVED ENERGY SAVINGS AS WELL. WITH 250 TIMES THE IMPACT STRENGTH OF GLASS AND 30 TIMES THAT OF ACRYLIC, THE FAMILY OF LEXAN® SHEET PRODUCTS OFFERS GRADES THAT STAND UP TO ANYTHING FROM FLYING BASEBALLS TO A BARRAGE OF BULLETS.

• PLEXIGLAS®

PLEXIGLAS® IS THE ATOMAS NORTH AMERICA, INC. TRADEMARK FOR ITS ACRYLIC PLASTIC SHEET. THE MAJOR ADVANTAGES OF PLEXIGLAS® SHEET ARE OPTICALLY CLEAR TRANSPARENCY, GOOD IMPACT RESISTANCE, LIGHT WEIGHT, WEATHER RESISTANCE, FORMABILITY TO COMPLEX SHAPES AND MACHINABILITY. IN ADDITION TO COLORLESS TRANSPARENT SHEET, PLEXIGLAS® ACRYLIC IS ALSO PRODUCED IN A GREAT VARIETY OF TRANSPARENT, TRANSLUCENT AND OPAQUE COLORS AND IN A VARIETY OF SURFACE PATTERNS. SHEET THICKNESSES IN MANY TYPES OF PLEXIGLAS® RANGE FROM 1/32" TO 12", DEPENDING ON GRADE.

FLEXIBLE WOOD VENEERS AVAILABLE!
CHOOSE FROM OAK, MAHAGONY, CHERRY,
ASH, BIRCH AND MORE!

FIRE RETARDANT LUMBER & PLYWOOD

PYRO-GUARD

Interior Fire Retardant Treated Lumber and Plywood

• Uses

PLYWOOD ROOF SHEATHING, STUDS, TRUSSES, JOISTS, RAFTERS, INTERIOR BEAMS, PARTITIONS, BLOCKING, STEPS, STAIRWAYS

• ADVANTAGES

- RECOMMENDED FOR PLYWOOD ROOF SHEATHING.
- RECOMMENDED FOR ROOF FRAMING AND TRUSSES.
- PERMITS USE OF WOOD UNDER RESTRICTIVE CODES.
- REDUCES INSURANCE RATES
- NON-CORROSIVE
- EACH PIECE IDENTIFIED WITH UL CLASSIFICATION MARK
- KILN DRYING MONITORED BY TIMBER PRODUCTS INSPECTION, INC.
- CAN BE PAINTED OR STAINED
- STRENGTH TESTED AFTER PROLONGED EXPOSURE TO HIGH TEMPERATURES AND HUMIDITY.



EXTERIOR FIRE-X

Exterior Fire Retardant Treated Lumber, Plywood, Shingles and Shakes

• Uses

EXTERIOR DECKS, BALCONIES, STAIRWAYS, SIDING, SCAFFOLDING, MOULDING, TRIM, OPEN-AIR ROOF SYSTEMS, STABLES, SOFFIT, FASCIA, ROOF SHEATHING.

• ADVANTAGES

- PERMITS USE OF WOOD UNDER RESTRICTIVE CODES
- THOROUGHLY STRENGTH TESTED
- CAN BE USED OUTDOORS OR INDOORS
- REDUCES INSURANCE RATES
- NON-CORROSIVE
- EACH PIECE IDENTIFIED WITH UL CLASSIFICATION MARK
- KILN DRYING MONITORED BY TIMBER PRODUCTS INSPECTION, INC.
- DECAY RESISTANT
- NO HALOGENS OR SULFITES
- OPTIONAL BLUE COLOR CODED
- CAN BE PAINTED OR STAINED
- APPROVED FOR USE IN NUCLEAR PLANTS

PRESSURE TREATED LUMBER & PLYWOOD

CCA

CCA Preservative Treated Lumber and Plywood

• Uses

BOARDWALKS, STADIUM SEATS, BOAT DOCKS, FENCING, FLOOR JOISTS, PORCHES, STEPS, DECKS, GUARD RAIL POSTS, FOOT BRIDGES, MARINE PILING, BULKHEADS, SWIMMING POOLS, OUTDOOR FURNITURE, HIGHWAY NOISE BARRIERS AND WOOD FOUNDATION.





• ADVANTAGES

- DECAY PROTECTION
- TERMITE PROTECTION
- PERMANENT WOOD FOUNDATIONS
- NON-LEACHABLE
- CLEAN
- ODORLESS
- SAFE TO HANDLE
- NATURAL GREEN COLOR
- EASILY PAINTED OR STAINED
- USED IN GROUND CONTACT

ENGINEERED WOOD PRODUCTS

- LAMINATED GLUED TIMBERS



- LAMINATED VENEER LUMBER

- WOOD I BEAMS



ENGINEERED LUMBER IS LIGHTER THAN ORDINARY DIMENSIONAL LUMBER, YET IT DELIVERS STRONGER, MORE RELIABLE PERFORMANCE. THE ADDED STRENGTH IS DUE TO THE MANUFACTURING PROCESS, WHICH ELIMINATES THE NATURAL DEFECTS FOUND IN WOOD, CREATING A MORE STABLE AND UNIFORM PRODUCT WITH LESS SHRINKING, WARPING AND SPLITTING. PLEASE CALL FOR SIZES, AVAILABILITY & SPECIAL HARDWARE.

PANELS

DESCRIPTION	USES	FINISH	SPECIE
UNDERLAYMENT	FLOORS/ QUALITY CRATING	SMOOTH 1 FACE	PINE & FIR
CDX	SHEATHING, CRATING & PROTECTION	ROUGH FACES	PINE & FIR
WAJERBOARD	SHEATHING, CRATING & PROTECTION	ROUGH FACES	PINE
ABX	HIGH END WOODWORKING	SMOOTH FACE & BACK	FIR
ACK	HIGH END WOODWORKING	SMOOTH FACE	PINE & FIR
ACK SUPERPLY	HIGH END WOODWORKING	SMOOTH FACE NO PATCHES	FIR
BB0ES	CONCRETE FORMING	SMOOTH FACE & BACK	PINE & FIR
BCK	PAINTABLE PANEL	SMOOTH FACE	PINE & FIR
T111	SIDING	GROVED FACE	PINE & FIR
HARDWOOD PLY	ARCHITECTURAL WOODWORKING	SMOOTH	OAK, BIRCH MAPLE& OTHERS
HARDBOARD	CRATING & DISPLAY	SMOOTH	
FLAKEBOARD	CRATING & DISPLAY	SMOOTH	
MELAMINE	CABINETSRY & DISPLAY	SMOOTH	ALL COLORS
FIBERBOARD (MDF) ULTRA LITE (MDF)	CABINETSRY & DISPLAY	SMOOTH	
HOMOSOTE	FLOOR PROTECTION SOUND CONTROL	FUZZY	
MDO/ HDO	SIGN MANUFACTURING	SMOOTH FACE 1 OR 2 SIDE	FIR
UPSON BOARD	OFFICE PARTITIONS	SMOOTH OR PEBBLED	
TEMPERED PLYRON	WORK SURFACES/FLOORS (DURON OR PLYWOOD)	SMOOTH	
PRIMED LUAN	SCENIC DISPLAY	WHITE	
MARLITE	SCENIC DISPLAY	BLACK	
WIGGLE BOARD	BENDING PANEL DISPLAY	SMOOTH	LUAN
PROFILE BOARD	BENDING PANEL DISPLAY	SMOOTH	POPLAR
MULTI-PLY	DIEBOARDS/ DISPLAY	SMOOTH	BIRCH
SHEETROCK	INTERIOR WALLS	SMOOTH	GYPSPUM
LUAN	CABINETSRY/ DISPLAY	SMOOTH	
LAMINATES	CABINETSRY/ DISPLAY	VARIOUS	

THICKNESSES (IN INCHES)	SIZES	OPTIONS
3/8 1/2 5/8 3/4	4x8 - 4x10	CCA & FIRE RET / T&G
5/16 3/8 1/2 5/8 3/4 1"	4x8 - 4x10	CCA & FIRE RET / T&G
1/4 5/16 3/8 7/16 1/2 5/8 3/4	4x8 - 4x16	T&G
1/4 3/8 1/2 5/8 3/4	4x8 - 5x10	MARINE / FIRE RET
1/4 3/8 1/2 5/8 3/4 1" 1-3/16	4x8 - 5x10	MARINE / FIRE RET
1/4 3/8 1/2 5/8 3/4	4x8 - 4x10	
5/8 3/4	4x8	
1/4 3/8 1/2 5/8 3/4 1"	4x8 - 4x10	FIRE RETARDANT
3/8 5/8	4x8 - 4x10	4" OR 8" Q/C
1/8 1/4 3/8 1/2 5/8 3/4 1"	4x8 - 4x12	VENEER, FLAKE OR FIBER CORE
1/8 3/16 1/4	4x8 - 5x12	TEMPER/STG/PEGBOARD
3/8 1/2 5/8 3/4 1 1-1/2	4x8 - 5x12	FIRE RETARDANT
1/4 3/8 1/2 5/8 3/4 1"	4x8 - 5x10	ON FLAKE/MDF/PLYWOOD
1/4 3/8 1/2 5/8 3/4 1"	4x8 - 5x10	U/V FILLED / FIRE RET
1/2" 1"	4x8 - 4x10	SEAL COATED CORK FACED
1/4 3/8 1/2 5/8 3/4	4x8 - 4x14	PRIMED 1 OR 2 SIDE
1/8 3/16 1/4	4x8 - 5x10	
1/2 3/4	4x8	
5.2MM	4x10	
1/8	4x8	
1/4 3/8	4x8 & 8x4	4x10 & 10x4
1/8	4x8 & 8x4	4x10 & 10x4
1/4 3/8 1/2 3/4	4x8 & 5x5	APPLE PLY
3/8 1/2 5/8	4x8 - 4x12	PC / MR / LEADLINED
1/8 1/4 3/8 1/2 5/8 3/4	4x8 & 4x10	FIRE RET / LUMBER CORE
1/32 1/16	4x8 - 5x12	ALL COLORS / PATTERNS

DECKING



- ALL NATURAL
- NO MAINTENANCE
- NO WARPING OR TWISTING
- NO SPLINTERING OR GRAIN RAISING
- KNOT FREE
- A-1 FIRE RATING
- 3 TIMES HARDER THAN OAK
- PRICED TO COMPETE WITH DOMESTIC WOODS
- HIGHEST INSECT AND DECAY RESISTANCE RATING
- PROJECTED SERVICE LIFE EXTENDS THAT OF DOMESTIC WOODS

TIMBER HOLDINGS
STD.
IRON WOODS
DECKING


PAU LOPETM
Custom Outdoor Hardwood

SCAFFOLD PLANKS


- OSHA APPROVED
- FIRE RATED

HARDWOOD PLYWOOD

• TYPES OF VENEER CUTS




ROTARY



PLAIN OR FLAT SLICED



HALF-ROUND SLICING




RIFT CUT


• VENEER MATCHING



Whole Piece



Pleasing Match
or Unmatched



Wlematch or
Random Match


BENDING PANELS



- ITALIAN POPLAR
- WIGGLE LUAN
- CUSTOM TAMBOURS
- UPSON BOARD
- REAL WOOD VENEER: ALL SPECIES

4 X 8

• TUBE IS 8' TALL



8 X 4

• TUBE IS 4' TALL

STRUCTURAL PLYWOOD & SHEATHING

PRODUCT	NOMINAL SIZE	ACTUAL THICKNESS
EXTERIOR FIR & PINE PLYWOOD	3/8"	11/32"
	1/2"	15/32"
	5/8"	19/32"
	3/4"	23/32"
	1"	20/32"
	1-1/16"	1-13/16"

CALL FOR AVAILABILITY AND INFORMATION ON
OVERSIZED AND SPECIAL SIZED PANELS:

4 x 8 - 5 x 8 IN STOCK

4 x 9 - 5 x 9 IN STOCK

4 x 10 - 5 x 10 IN STOCK

4 x 12 - 5 x 12 IN STOCK

• **APA GRADE DESCRIPTION**

GRADE A VENEER: SHALL BE FIRM, SMOOTHLY CUT, FREE OF KNOTS, PITCH POCKETS, OPEN SPLITS AND OTHER OPEN DEFECTS. SUITABLE FOR PAINTING AND A LAMINATE BASE.

GRADE B VENEER: SHALL BE SOLID AND FREE FROM OPEN DEFECTS AND BROKEN GRAIN. MINOR DEFECTS (TO BE REPAIRED BY SYNTHETIC FILLERS) NOT TO EXCEED 5% OF PANEL AREA. SUITABLE FOR CONCRETE FORMS AND INDUSTRIAL APPLICATIONS.

GRADE C VENEER: DEFECTS THAT WILL NOT IMPAIR THE STRENGTH OF THE PANEL ARE PERMITTED. SUITABLE FOR RESIDENTIAL SHEATHING AND INDUSTRIAL CRATING.

GRADE D VENEER: LARGE KNOTS, SPLITS AND VOIDS PERMITTED PROVIDED THEY DO NOT "SERIOUSLY" IMPAIR THE STRENGTH OF THE PANEL. USED AS A BACKER PANEL ONLY.

• **AVAILABLE COMBINATIONS**

SMOOTH: AA, AB, BB = TWO SIDES GOOD.
AC, AD, BC, UL, PTS = ONE SIDE GOOD.

ROUGH: CD

PANELS AVAILABLE MARINE GRADE,
FIRE RETARDANT AND CCA TREATED.

LUMBER

• DIMENSIONAL

2 X 4 THROUGH 2 X 12 - ALL LENGTHS

- GREEN - OVER 19% MOISTURE CONTENT FOR USE IN RESIDENTIAL CONSTRUCTION.

****DOUG FIR AND HEM FIR #2****

- KILN DRIED - 19% OR LESS MOISTURE CONTENT.

****SPRUCE - PINE - FIR (SPF)****

#2 - CLEAN AND SQUARED, USED FOR INTERIOR FRAMING WALLS, PARTITIONS, PLATFORMS, STAGES, SETS, ETC.

#3 - UTILITY, PERFECT FOR QUALITY CRATING.

#4 - ECONOMY, SUITABLE FOR ROUGH CRATING.

- FIRE RETARDANT (SEE PAGE 78)
- CCA TREATED (SEE PAGE 78)

• BOARDS

- SPRUCE CRATING AND UTILITY BOARDS
1 X 2 THROUGH 1 X 12 - ALL LENGTHS

- PINE - EASTERN AND WESTERN
1 X 2 THROUGH 1 X 12 - ALL LENGTHS 5/4, 6/4, 8/4
SELECT - HIGHEST QUALITY, MINIMAL CHECKS & KNOTS.

#2 - KNOTTY WITH A FINE APPEARANCE, KNOTS CAN BE SEALED FOR PAINTING.

#3 - LARGER, UNSEALABLE KNOTS ALLOWED; STRENGTH OF BOARD NOT COMPROMISED.

#4 - INDUSTRIAL CRATING BOARD

• HARDWOODS

- OAK, MAHOGANY, TEAK, CHERRY, MAPLE, BIRCH, HICKORY AND EXOTICS.
- S2S, S4S AND ROUGH
- ALL THICKNESSES AND WIDTHS

NEED LUMBER - THINK TULNOY

BEAMS & TIMBERS

ALL SPECIES AND GRADES AVAILABLE IN SIZES LISTED BELOW:

SIZES:	SPECIES:	GRADES:
3 x 3 - 3 x 12	FIR	SELECT STRUCTURAL
4 x 4 - 4 x 12	YELLOW PINE	#2 - CONSTRUCTION
6 x 6 - 6 x 12	EASTERN PINE	#3 - CRATING
8 x 8 - 8 x 12	MIXED HARDWOODS	CCA - .40LB - 2.5LB
10 x 10 - 12 x 12		

CUT-TO-SIZE



TAKE ADVANTAGE OF TULNOY LUMBER'S COMPUTERIZE MILLING EQUIPMENT. LET US PROVIDE ALL YOUR CUT-TO-SIZE ITEMS.

TULNOY OPERATES STATE-OF-THE-ART MILLING EQUIPMENT INCLUDING MULTIPLE RIP, RESAW, CROSS-CUT, PLANER AND PANEL SAWS.

LET US HELP YOU MEET YOUR PRODUCTION REQUIREMENTS!

TULNOY LUMBER

MASONRY AND BAGGED GOODS



BAGGED GOODS:

- BLACKTOP PATCH
- CONCRETE MIX
- DASH PATCH
- FASTSETTING CONCRETE
- FINISH PLASTER
- FLOOR PATCHING
- GAUGING PLASTER
- GRAVEL
- LIME
- MORTAR CEMENT
- MORTAR MIX
- PLASTER OF PARIS
- PORTLAND CEMENT
- ROCK SALT
- SAND
- SAND MIX
- STRUCTOLITE
- THOROSEAL PRODUCTS
- WATERPROOF CEMENT

OTHER MASONRY PRODUCTS:

- BLOCK 4", 6", 8"
- BRICK
- EXPANSION JOINTS
- RAWL PLUGS
- REBAR
- REINFORCING MESH
- WIRE LATH



DON'T FORGET! TULNOY STOCKS A COMPLETE LINE OF FORMING LUMBER AND PLYWOOD, INCLUDING BBOES-PLYFORM AND MULTI-POUR HDG.

FLOORING

- VINYL COMPOSITION TILE INCLUDING SUCH BRAND NAMES AS....

Armstrong

Congoleum

MANNINGTON
COMMERCIAL

Azrock
A DONALDSON COMPANY

Tarkett
Commercial Floor Tile

- HARDWOOD FLOORING



STRIP



PARQUET



SPECIAL

Bruce
hardwood floors
a division of Targhetti Inc.

Hartco The Quality Wood Flooring

Kentucky Wood Floors

- OTHER FLOORING PRODUCTS

- STAIR TREADS
- COVE BASE
- RUBBER TILE
- CORNERS

Johnsonite

ENDURA

ROPPE



FLEXCO



merc
PRODUCTS COMPANY, INC.

DOOR ACCESSORIES

ALL TYPES OF CYLINDRICAL AND MORTISE
LOCKSETS INCLUDING:

- ELECTRICAL AND DIGITAL ENTRY SYSTEMS
- EXIT HARDWARE



- PUSH PLATES
- KICK PLATES
- SADDLES



- HINGES
- CLOSERS
- STOPS



ARROW™

Glynn-Johnson

Norton®

BALDWIN

kwikset®

IVES

SCHLAGE

Parker Hardware

LOCKNETICS
Security engineering
A Lockwood Group

STANLEY



SHELVING, STANDARDS & BRACKETS



- DRAWER SLIDES AND ACCESSORIES
- GLIDES AND ROLLERS
- PEG HOOKS
- STORAGE AIDS
- RELATED HARDWARE



CALL FOR AVAILABLE SIZES AND FINISHES.

INTERIOR PANELING, PLANKING & TILE BOARD



THE POSSIBILITIES ARE ENDLESS!

CALL FOR LITERATURE.

PRE-FINISHED VINYL MOULDINGS AVAILABLE.



NJ AND PA 732.634.4000

DOOR & WALL PROTECTION



- HANDRAILS

- BED LOCATORS
- WALL COVERING
- KICKPLATES
- RUB RAILS



- WALLGUARDS
- CORNERGUARDS

- DOOR FRAME GUARDS



IPC Door and Wall
Protection Systems.

TULNOY LUMBER

VACUUM-FORMED VINYL PLASTICS



FOR IMMEDIATE DELIVERY!!

OUR LINE OF VACUUM-FORMED PRODUCTS INCLUDES ALL THE POPULAR PROFILES INCLUDING BUILDING MATERIALS, DECORATIVE PANELS, COLUMNS, PILASTERS, DOORS, WINDOWS, MOULDINGS AND A VARIETY OF MISCELLANEOUS UNIQUE DESIGN ELEMENTS. THESE ITEMS CAN BE SHIPPED ANYWHERE YOU DESIRE WITHIN ONE DAY OF YOUR ORDER!

WE WELCOME THE OPPORTUNITY TO HELP ON ANY CUSTOM VACUUM-FORMING THAT YOU MAY REQUIRE.

IN ADDITION, THE CATALOGUE IS BEING ADDED TO OUR WEBSITE FOR ONLINE VIEWING AT:

<http://tulnoylumber.com>

IF YOU WOULD LIKE TO RECEIVE A PRINTED COPY OF THE VACUUM-FORMED PRODUCTS CATALOGUE, PLEASE FAX A COPY OF YOUR LETTERHEAD TO US AT 718.299.8920 AND WE WILL ADD YOU TO THE MAILING LIST.

WE LOOK FORWARD TO HEARING FROM YOU!

NJ AND PA 732.634.4000

FOCAL POINT SYSTEMS

MEDALLIONS



No. 82238



No. 83012



No. 83412



No. 83312

NICHE



- ENTRANCE SYSTEMS
- ENTRANCE FEATURES
- MOULDING
- WINDOW FEATURES
- ARCHES
- KEYSTONES

STAIR BRACKETS



Roccoco
No. 99010




COLONIAL
No. 99110




WOODLAWN
No. 99510

FOCAL POINT MOULDINGS



No. 11170, C-11172 ST. JAMES



FOR 8-FOOT+ CEILINGS




No. 19620 CAVETTO LUCIA



FOR 9-FOOT+ CEILINGS




No. 11150, C-11152 DENTIL



FOR 8-FOOT+ CEILINGS




No. 11330, C-11332 MARYLAND



FOR 8-FOOT+ CEILINGS



No. 11280, C-11282 COVE



FOR 8-FOOT+ CEILINGS

ENTIRE FOCALPOINT LINE AVAILABLE.
CALL FOR INFORMATION AND LITERATURE!

NJ AND PA 732.634.4000

DECORATIVE WOOD TRIM

Ornamental mouldings

PILASTER CAPS

No. 846



No. 807


CORBELS



WINDOW BLOCKS AND ROSETTES



ROSETTE


BEVELED EDGE
ROSETTE


DECORATIVE WOOD TRIM

Ornamental[®] mouldings



42 1/4" x 13/32"



53 3/16" x 3/8"



95 27/32" x 1-1/2"



425 11/32" x 1-3/4"



426 11/32" x 1-5/16"



265 7/32" x 1"



589 11/32" x 1-1/4"



311 7/32" x 1"



681 9/16" x 1"



419 5/16" x 1-1/4"



2002/2 9/32" x 11/16"



5255 5/16" x 1-3/16"



4002 7/8" x 1-7/8"

PLINTH BLOCKS


BULL'S EYE
PLINTH

ROSETTE
PLINTH

ENTIRE ORNAMENTAL MOULDING LINE AVAILABLE.
CALL FOR INFORMATION AND LITERATURE!

NJ AND PA 732.634.4000

DECORATE WOOD TRIM

Ornamental[®] mouldings



No. 3074



No. 3017



No. 3322



No. 3069



No. 3005



No. 3202



No. 3088



No. 3011



No. 3095



No. 3359



No. 3364

PRODUCT "QUICK-LIST"

ANSWERS THE QUESTION "DO YOU CARRY... ?"

AB PLYWOOD	CEILING GRID	DRYWALL SCREWS
ABRASIVES	CEILING MEDALLIONS	DUCT TAPE
AC PLYWOOD	CEILING TILE	DUPLEX NAILS
ACCESS DOORS	CELOTEX	DURA FLAKE
ACCORDIAN DOORS	CEMENT	DURON
ACID RESISTANT	CEMENT COATED NAILS	DUROPAL
ADHESIVES	CHAIR RAIL	EASTERN PINE
ANCHORS	CHEMETAL	EDGE TAPE
APPLE PLY	CHERRY	EGG CRATE PRISMATIC
ARBORITE	CHICAGO METALLIC	ELECTRICAL SUPPLIES
ARCHITECTURAL	CHIP BOARD	ENGINEERED LUMBER
MOULDINGS	CLEAR PINE	ENTRY DOORS
ARCHITECTURAL	CLEARCOAT FIRE	EXIT/ENTRANCE HARDWARE
PLYWOODS	TREATMENT	EXOTIC HARDWOODS
ARMSTRONG CEILINGS	CLOSET LINER	FASTENERS
ARMSTRONG FLOORTILE	CLOSETPOLE	FIBER BOARD
AROMATIC CEDAR	COARSE THREAD SCREWS	FIBERGLASS INSULATION
ASH	COLORCORE LAMINATES	FIBERGLASS PANELS
ASTRAGALS	COLUMNS	FINE THREAD SCREWS
ATTIC STAIRS	COMMON NAILS	FINGERJOINT LUMBER
AZROCK FLOORTILE	COMMON PINE	FINIALS
BALUSTER	CONCRETE	FINISH NAILS
BALSA WOOD	CONCRETE MIX	FINISH PILASTER
BALTIC BIRCH	CONGOLEUM	FINLAND BIRCH
BAR RAIL	CONTACT CEMENT	FIRE RATED DOORS
BARBOARD	COP-8 TREATMENT	FIRE RETARDANT BIRCH
BARN WOOD	CORIAN	FIRE RETARDANT FLAKE
BASE CAPS	CORK	FIRE RETARDANT LUAN
BASES	CORNER GUARDS	FIRE RETARDANT LUMBER
BATH PANEL	CORNERBEAD	FIRE RETARDANT PLYWOOD
BBOES PLYWOOD	CORNERBEAD TAPE	FIRE-X TREATMENT
BC PLYWOOD	CORREGATED PANELS	FLAKE BOARD
BEADBOARD	COTTER PINS	FLASHING CEMENT
BEAMS	COVE BASE	FLEX MOULDING
BENDING LUAN	COVE BASE ADHESIVE	FLEXIBLE MOULDINGS
BENDING POPLAR	CRACKED ICE PRISMATIC	FLOATING FLOOR
BENELUX	CRATING LUMBER	FLOORING
BI-FOLD DOORS	CRATING PLYWOOD	FLOORING NAILS
BI-PASS DOORS	CROSS-T	FLUSH BOLTS
BIRCH	CROWN MOULDING	FLUTED MASONRY NAILS
BITS	CUSTOM FIREPROOFING	FOAM CORE
BLACK IRON	CUSTOM MILLWORK	FOAM-X
BLACKBOARDS	CUSTOM MOULDINGS	FOCALPOINT
BLACKTOP	CUSTOM OVERLAYS	FOMULAR
BLOCK	CUSTOM TURNINGS	FORMICA
BOLTS	CUT MASONRY NAILS	FRP PANELS
BOSCO BOARD	CUT-To-Size LUMBER	FSK25
BOX NAILS	CUT-To-Size PANELS	FURRING CHANNEL
BOX WOOD	DASHPATCH	FYPON
BRACKETS	DECK SCREWS	GALV. LATH
BRICK	DECKING	GALVANIZED FASTENERS
BRUCE FLOORING	DENTIL MOULDING	GALVANIZED NAILS
BUILDEX FASTENERS	DOOR & WALL	GATOR FOAM
BUILDING BOARD	PROTECTION SYSTEMS	GAUGING PLASTER
BULLETIN BOARDS	DOOR CLOSERS	GLASS BEADS
BULLNOSE STEPPING	DOOR HARDWARE	GLASS BLOCK
BULLSEYES	DOOR STOPS	GLUE
CADDY FASTENERS	DOORS	GLUELAM BEAMS
CAP SCREWS	DOUGLAS FIR	GRAVEL
CASING	DOWELS	GRAVEL MIX
CAULK	DRAWER SLIDES	GREENBOARD
CCA TREATED LUMBER	DRILL BIT	GYPNUM BOARD
CCA TREATED PANELS	DROP CEILINGS	HALF ROUNDS
CDX CEDAR	DROP CLIPS	HAMMERS
CEDAR SIDING	DRYWALL	HAND RAIL

PRODUCT "QUICK-LIST" (CONT')

HAND TOOLS	MDO	PREHUNG DOORS
HANDSPLITS	MEDEX	PRESSED WOOD
HARD MAPLE	MEDITE	PRESSURE TREATED LUMBER
HARDBOARD	MEDITE F/R	PRESSURE TREATED PLYWOOD
HARDWARE	MEDIUM DENSITY FIBERBOARD	PRIMED PLYWOOD
HARDWOOD LUMBER	MELAMINE	PRISMATIC
HARDWOOD PLYWOOD	MEMBRANE	PTS PLYWOOD
HDO	MERANTI	PYROGUARD TREATMENT
HEM FIR	MERCER FLOOR PRODUCTS	QUARTER ROUNDS
HI LO SCREWS	MESH TAPE	RADIATA PINE
HILTI	METAL CEILING	RADIUS
HINGES	METAL CLAD MOULDING	RAILROAD TIES
HOMASOTE	METAL DOORS	RAWL PLUGS
HONDURAS MAHOGANY	METAL STUD	RED OAK
HOOVER TREATED WOODS	METAL TRACK	RED ROSIN
HOUSE WRAP	METALCLAD PLYWOOD	RETURNS & REGISTERS
HURRICANE FENCE	MICARTA	RIGID FOAM BOARDS
HVAC	MICROLAM	ROCK SALT
I-BEAMS	MINWAX	ROCK-TO-ROCK SCREWS
ICE DECK	MORTAR	RODS & COUPLINGS
ICE MELT	MORTAR MIX	ROOF CEMENT
IDAHO PINE	MOULDING	ROOF COATING
INSULATION	MOVERS' BOARD	ROOF DECK
IPC	NAFCO	ROOF FELT
IPE BETHABARA	NAILS	ROOF HATCHES
IRON WOOD	NECK BASE	ROOF NAILS
ITALIAN BENDING POPLAR	NEVAMAR	ROOF PAPER
J-BEAD	NEWEL POSTS	ROOFING SUPPLIES
JOHNSONITE FLOORING	NUTS	ROPE MOULDINGS
JOINT COMPOUND	ORNAMENTAL MOULDINGS	ROPPE FLOORS PRODUCTS
JOIST HANGERS	OSB	ROSETTES
KALAMINE DOORS	OSHA PLANK	ROUGH MIXED HARDWOODS
KD FRAMES	OVERLAY PLYWOOD	ROUNDS
KDAT LUMBER	OVERSIZED PLYWOOD	RUBBER FLOOR PRODUCTS
KILN DRIED LUMBER	PAINT SUNDRIES	RUSSIAN BIRCH
KNIFE BLADES	PANEL MOULDINGS	S-12 SCREWS
KYDEX	PANEL-15	SAB
L-BEAD	PANELING	SADDLES
LADDERS	PARALAM	SAKRETE
LAMINART	PARQUET FLOORING	SAND
LAMINATE	PARTICLE BOARD	SAND MIX
LAMINATED PLANKS	PATTERN STOCK	SAND PAPER
LAMINATING SCREWS	PAU LOPE	SANDED PLYWOOD
LATHING SCREWS	PEGBOARD	SANDING BELTS
LATTICE	PENCILROD	SANDING PAPER
LATTICE PANELS	PERFECTIONS	SANDING SCREENS
LEAD LINED SHEETROCK	PERMAGRAIN	SAW BLADES
LEXAN	PHILIPINE MAHOGANY	SCAFFOLD PLANK
LIGHT DIFFUSERS	PINS & SHOTS	SCARFED LUMBER
LIME	PIONITE	SCREWS
LOCK SETS	PLANKING	SELF TAPPING SCREWS
LUAN	PLASTER OF PARIS	SHAFT LINER
LUMBER	PLEXIGLASS	SHAPING FOAM
LUMBERCORE PLYWOODS	PLINTH BLOCKS	SHEATHING
LVL	PLYFORM	SHEET METAL SCREWS
MACHINE SCREWS	PLYRON	SHEETROCK
MAHOGANY	PLYWOOD	SHELVING
MAIN RUNNER	PNEUMATIC TOOLS	SHINGLES
MANNINGTON FLOORTILE	POCKET DOORS	SHORING
MAPLE	POLYCARBONITE	SHUTTERS
MARINE PLYWOOD	POLYETHYLENE	SIDING
MARKER-BOARDS	PONDEROSA PINE	SIMPLEX CEILINGS
MARLITE	POPLAR	SIMPSON STRONGTIES
MASKING TAPE	PORTLAND CEMENT	SINKER NAILS
MASONITE	POWER TOOL ATTACHMENTS	SINTRA
MASONRY SUPPLIES	POWER TOOLS	SKID GUARD
MATCHSTICK	PRE-FINISHED FLOORING	SKYLIGHTS
MDF	PRE-FINISHED PANEL	SLOTWALL

TULNOY LUMBER

PRODUCT "QUICK-LIST" (CONT')

SOFT MAPLE	TAPE	WACKYWOOD
SOLID CROWN	TAPING KNIVES	WAFERBOARD
SOLID SURFACE	TARKETT FLOOR PRODUCTS	WAINSCOTTING
SOLVENTS	TECOS	WALL ANGLE
SONOTUBE	TEMPERED HARDBOARD	WASHERS
SOUND ATT. BLANKETS	TEXTURE 111	WATERPROOF CEMENT
SOUND SOAK	TGI	WEATHERSTRIP
SOUTHERN PINE	THERMAFIBRE	WELDED FRAMES
SPIKES	THOROSEAL	WESTERN PINE
SPRUCE	TILE BACKER	WHITE OAK
STAINLESS STL. FASTENERS	TIMBERS	WHITE PINE
STAIR PARTS	TONGUE & GROOVED LUMBER	WHITEWOOD
STAIR TREAD	TONGUE & GROOVED PLYWOOD	WIGGLEWOOD
STANDARDS	TRANSITE	WILSONART
STAVE CORE DOORS	TREX	WINDOWS
STEPPING	TRUCK BODY OAK	WIRE LATH
STICK TAPE	TUFF-R	WONDERBOARD
STOPS	TV PANELS	WOOD BALLS
STRIATED SHINGLES	TYVEK	WOOD BEAMS
STRIP FLOORING	ULTRALITE MDF	WOOD BISCUITS
STRUCTOLITE	UNDERLAYMENT	WOOD BUTTONS
STUDIO BOARD	UNDERLAYMENT PLYWOOD	WOOD DOORS
STUDS	UPSONBOARD	WOOD FLOORING
STYROFOAM	USG CEILING	WOOD GLUE
SUBFLOOR PLYWOOD	VACUUM-FORMED PLASTIC	WOOD LATH
SUGAR PINE	VCT	WOOD SCREWS
SUNDRIES	VERSIFOAM	WOOD VENEER
SUPERPLY	VINYL COMPOSITION TILE	WOOD-I
SURELL	VIROLA	YELLOW PINE
T-BAR	VITRACORE	ZIPPIES
TAMBOUR	VOLUTES	
TAMPER PROOF FASTENERS	VPI	

THIS LIST OUTLINES MANY, BUT NOT ALL OF THE THINGS WE DO. IF YOU NEED SOMETHING THAT IS NOT LISTED, PLEASE CALL. WE LOOK FORWARD TO HEARING FROM YOU SOON!



IT'S OUR PRIVILEGE TO SERVE YOU.

TULNOY LUMBER

NEW YORK & CONNECTICUT

1620 WEBSTER AVENUE
BRONX, NEW YORK 10457

TEL 212.740.9550

FAX 212.740.9553

OR

TEL 718.583.3434

FAX 718.299.8920

NEW JERSEY & PENNSYLVANIA

BUILDING T11
RASKULINECZ ROAD
CARTERET, NJ 07008

TEL 732.634.4000

FAX 732.634.0358

NATIONAL SALES OFFICE

PLEASE CALL

TEL 718.901.1700

<http://tulnoylumber.com>